

[News](#)



A firefighter carries a baby rescued along with her mother from an area affected by mudslides in San Cristobal Verapaz, Guatemala, Nov. 7, 2020, caused by the remains of Hurricane Eta. (CNS/Reuters/Luis Echeverria)

Piers Forster

[View Author Profile](#)



The Conversation

[View Author Profile](#)

[Join the Conversation](#)

Send your thoughts to *Letters to the Editor*. [Learn more](#)

March 16, 2021

[Share on Bluesky](#)[Share on Facebook](#)[Share on Twitter](#)[Email to a friend](#)[Print](#)

Editor's note: *This story originally appeared in [The Conversation](#) and is republished here as part of Covering Climate Now, a global journalism collaboration strengthening coverage of the climate story.*

The planet had already warmed by [around 1.2°C](#) since pre-industrial times when the World Health Organization officially declared a pandemic on March 11 2020. This began a sudden and unprecedented drop in human activity, as much of the world went into lockdown and factories stopped operating, cars kept their engines off and planes were grounded.

There have been many [monumental changes](#) since then, but for those of us who work as climate scientists this period has also brought some entirely new and sometimes unexpected insights.

Here are three things we have learned:



1. Climate science can operate in real time

The pandemic made us think on our feet about how to get around some of the difficulties of monitoring greenhouse gas emissions, and CO₂ in particular, in real time. When many lockdowns were beginning in March 2020, the next comprehensive [Global Carbon Budget](#) setting out the year's emissions trends was not due until the end of the year. So climate scientists set about looking for other data that might indicate how CO₂ was changing.


We used information on lockdown as a mirror for global emissions. In other words, if we knew what the emissions were from various economic sectors or countries pre-pandemic, and we knew by how much activity had fallen, we could assume that their emissions had fallen by the same amount.

By May 2020, a [landmark study](#) combined government lockdown policies and activity data from around the world to predict a 7% fall in CO₂ emissions by the end of the year, a figure later [confirmed by the Global Carbon Project](#). This was soon followed by research by my own team, which used [Google and Apple mobility data](#)

to reflect changes in ten different pollutants, while a third study again tracked CO₂ emissions [using data](#) on fossil fuel combustion and cement production.

The latest Google mobility data shows that although daily activity hasn't yet returned to pre-pandemic levels, it has recovered to some extent. This is reflected in our [latest emissions estimate](#), which shows, following a limited bounce back after the first lockdown, a fairly steady growth in global emissions during the second half of 2020. This was followed by a second and smaller dip representing the second wave in late 2020/early 2021.

Meanwhile, as the pandemic progressed, the [Carbon Monitor](#) project established methods for tracking CO₂ emissions in close to real time, giving us a valuable new way to do this kind of science.



Global changes in pollution levels from lockdown for carbon dioxide (CO₂), nitrous oxide (NO_x) and eight other pollutants. Data is compared to 2019 levels. (The Conversation/Piers Forster)

2. No dramatic effect on climate change

In both the short and long term, the pandemic will have less effect on efforts to tackle climate change than many people had hoped.

Despite the clear and quiet skies, research I was involved in found that lockdown actually had a [slight warming effect](#) in spring 2020: as industry ground to a halt, air pollution dropped and so did the ability of aerosols, tiny particles produced by the burning of fossil fuels, to cool the planet by reflecting sunlight away from the Earth. The impact on global temperatures was short-lived and very small (just 0.03°C), but it was still bigger than anything caused by lockdown-related changes in ozone, CO₂ or aviation.

Looking further ahead to 2030, simple climate models have estimated that global temperatures will only be around [0.01°C lower](#) as a result of COVID-19 than if countries followed the emissions pledges they already had in place at the height of the pandemic. These findings were later backed up by more complex [model simulations](#).

Many of these national pledges have been updated and strengthened over the past year, but they [still aren't enough](#) to avoid dangerous climate change, and as long as emissions continue we will be eating into the remaining carbon budget. The longer we delay action, the steeper the emissions cuts will need to be.



Clear skies over usually-polluted Bangkok, Thailand, during lockdown in May 2020. (shutterstock/Puiipouiz)

3. This isn't a plan for climate action

The temporary halt to normal life we have now seen with successive lockdowns is not only not enough to stop climate change, it is also not sustainable: like climate change, COVID-19 has hit the most vulnerable the hardest. We need to find ways to reduce emissions without the economic and social impacts of lockdowns, and find solutions that also promote health, welfare and equity. Widespread climate ambition and action by individuals, institutions and businesses is still vital, but it must be underpinned and supported by structural economic change.

Colleagues and I have estimated that [investing just](#) 1.2% of global GDP in economic recovery packages could mean the difference between keeping global temperature

rise below 1.5°C, and a future where we are facing much more severe impacts – and higher costs.

Unfortunately, green investment is not being made [at anything like the level needed](#). However, many more investments will be made over the next few months. It's [essential that](#) strong climate action is integrated into future investments. The stakes may seem high, but the [potential rewards](#) are far higher.

Advertisement